
Assembly Instructions

Tate Series



Lifely*

Product Code
TATE-RODT-BLACK Dining Table
TATE-RODT-NATURAL Dining Table
Dimensions(W x D x H)
1800x900x750mm

Important

Please read through instruction carefully Before assembly and keep for future reference.

For our full catalogue of assembly instructions, Visit: lifely.com.au/assembly.

Important Tips and Maintenance





1

Keep children and animals away from working area as smaller parts may cause choking if swallowed.




5.

Use a soft or damp cloth(dry cloth)when wiping or cleaning surfaces.



2.

Never place liquids or anything damp upon furniture as it will mark. Ensure a coaster or running is beneath.




6.

Two person are required.



3.

Never use ammonia based cleaning products as it will damage the finish.



4.

To avoid fading, keep furniture out of direct sunlight.



7.

Lay a soft matt down to protect the furniture piece before and during assembly. So your relationship is strong.But is it flat-pack furniture strong? Unless you're an aerospace engineer, assembling furniture can be slightly stressful.We recommend meditating quietly, pouring yourself a herbal tea (or slightly less herbal wine) and tackling things one step at a time.If you feel a passive aggressive remark coming on, try a compliment instead.E.g. "You' re so good looking"

This 7-step assembly should take around 2 hours with an Allen Key - or 60 minutes with and electric drill. Godspeed.


Designed for everyday

Before Assembly

Tips Before Your Start:


- Remove all wrapping material, including staples & packing straps before you start to assemble.
- DO NOT tighten all screws and bolts until completely assembled.
- Keep all hardware parts out of reach of children.

QUICKFIT



Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.


CAM LOCK



When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.



Turn cam lock clockwise to tighten.

Component Hardware Please check you have all the fittings part or tools are listed in below.

No. A Quantity:32Pcs Cam Lock Dowel 8*28mm

No. F Quantity:8Pcs Screw M8*35mm No. B Quantity:64Pcs Dowel 8*30mm



No. G Quantity:8Pcs Screw Washer φ18 No. C Quantity:32Pcs Cam Lock φ15mm

No.H Quantity:1Pc Allen Key 5# No. D Quantity:32Pcs Screw M6*50


No. I Quantity:8Pcs Foot Pad φ20 No. E Quantity:2Pcs Allen Key 4#

Hardware are in Carton 2/3


Component Panels & part List Please check you have all the panels are listed below.

- 1. Table Top——— x1 CTN 1/3
- 2. Top Panel of Base x1 CTN 2/3
- 3. Bottom Panel of Base x1 CTN 2/3
- 4. Side Panel of Base x4 CTN 2/3
- 5. Corner Rail of Base x4 CTN 2/3
- 2. Top Panel of Base x1 CTN 3/3
- 3. Bottom Panel of Base x1 CTN 3/3
- 4. Side Panel of Base x4 CTN 3/3

5.



STEP 1




No. A Quantity:32 Pcs Cam Lock Dowel 8*28mm

No. B Quantity:48 Pcs Dowel 8*30mm

8X



STEP 2



No. C Quantity:16Pcs Cam Lock

x2

STEP 3 No. C Quantity:16Pc Cam Lock D D STEP 4 D D B В No. B No. D

No. B Quantity:8 Pcs Dowel 8*30mm



Quantity:16 Pcs
Screw
M6*50mm

No. E Quantity:2 Pcs Allen Key 4#

x2

